

CERTIFICATE OF ANALYSIS

M.U. 0.02 0.01 ND ND ND ND

CBD Oil Gold 5%

Product description: CBD Oil Gold 5% Batch number: G052210 Sample type: extracts and hemp final products SFP id: V2234 Sample received date: 2022-10-04 Remarks: /

Analysis ID: A2668-3

Method id: GC-FID 50ppm v1.0 Date of aquisition: 2022-10-04 Date of processing: 2022-10-05 Date of approval: 2022-10-06 Remarks: /

Customer

Hemptouch d.o.o., Podbreznik 15, 8000 Novo mesto Slovenia



Total THC %	ND
Total CBD %	5.20
Total CBG %	0.22
Total cannabinoids %	5.49
Total terpenes %	0.09

Cannabinoids

Main terpenes

Short	Substance name	Assay %	M.U.	Short	Substance name	Assay %
CBDV	Cannabidivarin	0.04	0.01	BCARY	beta-Caryophyllene	0.07
THCV	Tetrahydrocanabivarin	ND	ND	HUMU	alpha-Humulene	0.02
CBL	Cannabicyclol	ND	ND	ATERP	alpha-Terpineol	ND
CBD	Cannabidiol	5.20	0.21	APINE	alpha-Pinene	ND
CBC	Cannabichromene	ND	ND	BPINE	beta-Pinene	ND
CBE	Cannabielsoin	0.03	0.01	CAMP	Camphene	ND
∆8-THC	Δ8-tetrahydrocannabinol	ND	ND	SABI	Sabinen	ND
∆9-THC	Δ9-tetrahydrocannabinol	ND	ND	MYRC	Myrcene	ND
CBG	Cannabigerol	0.22	0.05	PHELA	alpha-Phellandrene	ND
CBN	Cannabinol	ND	ND	LIMON	D-Limonene	ND
thad of Applying: CC I	EID (Can Chromotography with Elema Instration Datastion). The data	arminad management upportainty	(MILL) in obvious given in	EUCA	Eucalyptol	ND
lethod of Analysis: GC-FID (Gas Chromatoraphy with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in e same unit as specified result. LOQ = Values bellow quantification limit of 0.01 % (respectively 100 mg/kg). ND = Not Detected - bellow detection limit were than 0.005 % respectively 50 mg/kg).			GTERP	gamma-Terpinene	ND	

CAIVIP	Camphene	ND	ND
SABI	Sabinen	ND	ND
MYRC	Myrcene	ND	ND
PHELA	alpha-Phellandrene	ND	ND
LIMON	D-Limonene	ND	ND
EUCA	Eucalyptol	ND	ND
GTERP	gamma-Terpinene	ND	ND
TERPI	Terpinolene	ND	ND
LINAL	Linalool	ND	ND
BOCIM	beta-Ocimene	ND	ND
BORN	Borneol	ND	ND
GERA	Geraniol	ND	ND
EUGEN	Eugenol	ND	ND
VALEN	Valencene	ND	ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values beliow quantification limit of 0.01 % (respectively 100 mg/kg). ND = Not Detected - beliow detection limit (lower than 0.005% respectively 50 mg/kg).

Issued by SFP d.o.o., Ljubljana, Slovenia. These results relate only to the test article listed in this report. Any reproduction of this document is not allowed without the permit of SFP d.o.o.

This certificate was reviewed by Ivan Plantan PhD, quality control on 2022-10-06. 1 Marta

This certificate was approved by Tina Pungartink, director on 2022-10-06.

